Archives of

Dermatological Research

Volume 279 1987

Editor-in-Chief: E. Christophers, Kiel

Managing Editors

P. Fritsch, Innsbruck
K. Halprin, Miami
O. P. Hornstein, Erlangen
E. G. Jung, Mannheim
S. I. Katz, Bethesda
R. Marks, Cardiff
G. Stüttgen, Berlin
H. Tagami, Sendai

Editorial Board

O. Braun-Falco, Munich
J. Civatte, Paris
I. Gigli, San Diego
V. K. Hopsu-Havu, Turku
S. Imamura, Kyoto
H. Ippen, Göttingen
L. Juhlin, Uppsala
A. Krebs, Berne
A. Kukita, Tokyo
E. Macher, Münster
R. M. Mackie, Glasgow
H. Maibach, San Francisco
Th. Nasemann, Hamburg
G. Plewig, Düsseldorf
H. Röckl, Würzburg
F. Serri, Rome
U. W. Schnyder, Zurich
G. K. Steigleder, Cologne
G. Stingl, Vienna
J. Thivolet, Lyon
K. Wolff, Vienna

Springer International

In 1869 the Archives of Dermatological Research was founded as Archiv für Dermatologie und Syphilis by H. Auspitz and F. J. Pick. Continued and edited by A. Neisser, L. v. Zumbusch, J. Jadassohn, W. Pick. Vols 1–127 (1920) published by Braunmüller, Vienna; as of Vol 128 (1921) by Springer, Berlin.

From 1921 until 1973 organ of the Deutsche Dermatologische Gesellschaft (Vereinigung deutschsprachiger Dermatologen). As of Vol 201 (1955) published as Archiv für klinische und experimentelle Dermatologie.

As of Vol 240 (1971) as Archiv für Dermatologische Forschung / Archives for Dermatological Research.

As of Vol 253 (1975) as Archives for Dermatological Research / Archiv für Dermatologische Forschung.

As of Vol 261 (1978) as Archives of Dermatological Research / Archiv für Dermatologische Forschung.

As of Vol 264 (1979) as Archives of Dermatological Research.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data-bases, video-disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA:

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US$ 0.20 per page, or a minimum of US$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-3996, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printers: Wiesbadener Graphische Betriebe GmbH, D-6200 Wiesbaden, Federal Republic of Germany

© Springer-Verlag GmbH & Co. KG, Berlin Heidelberg 1987 · Printed in Germany

Contents Volume 279

Original contributions, Short communications and Letters to the editors

Abel EA, see Bohr VA, et al. 147
Aberer W, Leibl H: Effect of UVB radiation on the biosynthesis of HLA-DR antigens 321
Adachi K, see Itami S, et al. 439
Adachi K, see Tsutsui M, et al. 530
Alessandrini C, see Fimiani M, et al. 77
Altomare GF, see Pigatto PD, et al. 347
Andreassi L, see Fimiani M, et al. 77
Anton-Lamprecht I, see Fartasch M, et al. 270
Anton-Lamprecht I, see Haußer I, et al. 357
Anton-Lamprecht I, see Marghescu S, et al. S38
Aoyagi T, see Koizumi H, et al. 50
Aoyagi T, see Koizumi H, et al. 95
Apostoloff E, see Volk H-D, et al. S92
Archimbaud E, see Torinuki W, et al. 424
Aumailley M, see Taïeb A, et al. 308

Baadsgaard O, Lindskov R, Geisler C: Reduction of the number of immunocompetent cells in the acute stage of herpes zoster 374
Baart de la Faille H, van Weelden H, Banga JD, van Kesteren RG: Cold-induced Raynaud's phenomenon ameliorated by intravenous administration of ketanserin: a double-blind cross-over study 3
Baer RL, see Belsito DV, et al. S76
Banga JD, see Baart de la Faille H, et al. 3
Bang D, see Nakagawa S, et al. 236
Bang D, see Nakagawa S, et al. S111
Bani D, Moretti S: Are Langerhans cells usual components of the dermal infiltrate of mycosis fungoides? 561
Barety M, see Gioanni J, et al. 26
Barthélémy H, Claudy A: Demonstration of T6+ and DR+ cells in human placenta 495
Bauer E, see Böhm F, et al. 16
Beensen H, see Wollina U, et al. 206
Beljaards R, see Nieboer C, et al. 283
Belsito DV, Dersarkissian RM, Thorbecke GJ, Baer RL: Reversal by lymphokines of the age related hyporesponsiveness to contact sensitization and reduced Ia expression on Langerhans cells S76
Benes P, see Schopf RE, et al. 444
Berbis P, see Chamson A, et al. 303
Berens v. Rautenfeld D, Lubach D, Wenzel-Hora B, Klanke J, Hunneshagen C: New techniques of demonstrating lymph vessels in skin biopsy specimens and intact skin with the scanning electron microscope . . 327
Berger C, see Kaudewitz P, et al. 83
Beutner EH, see Kumar V, et al. 454
Bieber T, see Burg G, et al. S88
Bieber T, see Kaudewitz P, et al. 83
Bioulac-Sage P, see Taïeb A, et al. 308
Bisballe S, see Jensen JR, et al. 12
Bisballe S, see Kaltoft K, et al. 293
Bissett DL, McBride JF, Patrick LF: Role of protein and calcium in stratum corneum cell cohesion 184
Blanken R, see van Voorst Vader PC, et al. 366
Błaszczyk M, see Majewski S, et al. 484
Bock G, see Schwarz W, et al. S59
Böhme H-J, see Herrmann K, et al. 299
Böhm F, Meffert H, Bauer E: PUVA therapy damages psoriatic and normal lymphoid cells within milliseconds 16
Bohr VA, Abel EA, Farber EM, Hanawalt PC: Topical treatment of psoriasis with the topoisomerase inhibitors novobiocin and nalidixic acid: A pilot study 147
Bollinger A, see Brüngger A, et al. S24
Bonnekoh B, see Thiele B, et al. 521
Bonnekoh B, Thiele B, Krüger GRF, Mahrle G: Lipid fluidity of human and guinea-pig epidermal cells: Temperature dependence in comparison to nonepidermal cells 278
Bork K, see Schopf RE, et al. 444
Bork K, see Schopf RE, et al. 89
Borovanský J, Hach P: Isolation of melanosomes from keratinous structures: current state of the art 54
Bosq J, see Ralfkiaer E, et al. 285
Boukamp P, see Watt FM, et al. 335
Bozóky B, see Csató M, et al. 136
Braathen LR, see Kaaman T, et al. 498
Braun-Falco O, see Kaudewitz P, et al. 83
Braun-Falco O, see Ryckmanns F, et al. 173
Braun-Falco O, see Stolz W, et al. 167
Broekaert D, Van Oostveldt P, Coucke P, De Bersaques J, Gillis E, Reyniers P: Nuclear differentiation and ultimate fate during epidermal keratinization. Two-wavelength and cytofluorometric DNA investigations completed by computerized scanning image analysis . . . 100
Brüngger A, Brüslisauer M, Mitsuhashi Y, Schneider BV, Bollinger A, Schnyder UW: Cryofibrinogenemic purpura S24
Brüngger A, Cruz-Orive LM: Nuclear morphometry of nodular malignant melanomas and benign nevocytic nevi 412
Brüslisauer M, see Brüngger A, et al. S24
Bruneval P, see Kazandjian S, et al. 8
Buckley A, Middleton MC: Retinoic acid alters the keratinization of cultured rat sublingual keratinocytes in vitro 257
Burg G, Stünkel KG, Bieber T, Opitz U, Kaudewitz P: Cutaneous infiltrates of histiocytosis X contain plasminogen activator bearing epidermatropic dentritic cells different from Langerhans cells S88
Burg G, see Kaudewitz P, et al. 83
Burns TL, see Collison DW, et al. 266

Camilleri J-P, see Kazandjian S, et al. 8
Castelli A, see Fimiani M, et al. 77
Chamson A, Berbis P, Fabre J-F, Privat Y, Frey J: Collagen biosynthesis and isomorphism in a case of Ehlers-Danlos syndrome Type VI 303
Chatelain P, see Tinois E, et al. 241
Chiba S, see Ito T 211
Choi B, see Lee S, et al. 120
Chorzelski TP, see Kumar V, et al. 454
Christophers E, Henseler T: Contrasting disease patterns in psoriasis and atopic dermatitis S48
Christophers E, Plewig G: Prof. Dr. Dr. h. c. Otto Braun-Falco on the occasion of his 65th birthday S2
Claudy A, see Barthélémy H 495
Collison DW, Burns TL, Stewart ME, Downing DT, Strauss JS: Evaluation of a method for measuring the sustainable rate of sebaceous wax ester secretion . . 266
Cordier G, see Staquet MJ, et al. 273
Cormane RH, see Westerhof W, et al. 209
Cormane RH: Professor Miklós Simon: on the occasion of his 70th birthday 1

S = Supplement

Coucke P, see Broekaert D, et al. 100
Courouge-Dorcier D, see Taïeb A, et al. 308
Croissant O, see Jablonska S, et al. S66
Cruz-Orive LM, see Brüngger A 412
Csató M, Bozóky B, Hunyadi J, Dobozy A: *Candida albicans* phagocytosis by separated human epidermal cells 136
Curriculum vitae S4

Dabski K, see Winkelmann RK S81
Danner M, see Kapp A, et al. 470
Danno K, see Takigawa M, et al. 392
De Bersaques J, see Broekaert D, et al. 100
Deicher C, see Drenk F, et al. 415
Deinlein E, see Katsuoka K, et al. 20
de Jong MCJM, see van Voorst Vader PC, et al. 366
Dersarkissian RM, see Belsito DV, et al. S76
de Villiers EM, see Großendorf-Conen E-I, et al. . . . S73
Diezel W, see Volk H-D, et al. S92
Dobozy A, see Csató M, et al. 136
Dorsch W, see von der Helm D, et al. 536
Dowd PM, Kobza Black A, Woollard PW, Greaves MW: Cutaneous responses to 12-hydroxy-5,8,10,14-eicosatetraenoic acid (12-HETE) and 5,12-dihydroxyeicosatetraenoic acid (leukotriene B4) in psoriasis and normal human skin 427
Downing DT, see Collison DW, et al. 266
Drenk F, Lubach D, Schwabe C, Deicher C: Endothelial cytotoxic activity (ECA) in sera of patients with livedo racemosa generalisata Ehrmann 415
Dykes PJ, see Konohana I, et al. 459

Edelson R, see Kaudewitz P, et al. 83
Ekman R, see Wallengren J, et al. 512
Emtestam L, see Kaaman T, et al. 498
Engstner M, see Tilgen W, et al. S116
Eto H, see Kameyama K, et al. 161
Ettore F, see Gioanni J, et al. 26

Fabre J-F, see Chamson A, et al. 303
Farber EM, see Bohr VA, et al. 147
Fartasch M, Haneke E, Anton-Lamprecht I: Ultrastructural study of the occurrence of autosomal dominant ichthyosis vulgaris in atopic eczema 270
Fartasch M, see Haußer I, et al. 357
Faure M, see Kanitakis J, et al. 421
Faure M, see Tinois E, et al. 241
Favre M, see Jablonska S, et al. S66
Fiere D, see Torinuki W, et al. 424
Fiessinger J-N, see Kazandjian S, et al. 8
Fimiani M, Alessandrini C, Castelli A, Mancianti ML, Andreassi L: Ultrastructural observations in lichen nitidus 77
Fischer S, see Kuehnl-Petzoldt C 487
Förström L, see Lauerma AI, et al. 379
Fogh K, Kiil J, Herlin T, Ternowitz Th, Kragballe K: Heterogeneous distribution of lipoxygenase products in psoriatic skin lesions 504
Fogh Rasmussen H, see Kaltoft K, et al. 293
Frentz G, Wulf HChr, Munch-Petersen B, Niebuhr E: Normal sister chromatid exchange in lymphocytes from patients with multiple epidermal cancer? 180
Frey J, see Chamson A, et al. 303
Fry L, see Unsworth DJ, et al. 232
Fuchs J, Zimmer G, Wölbling RH, Milbradt H: On the interaction between anthralin and mitochondria: a revision 59
Fujita K, see Miura S, et al. 219
Furukawa F, Ohshio G, Tanaka H, Nakamura T, Ikehara S, Imamura S, Hamashima T: Pathogenesis of lupus dermatoses in autoimmune mice. VI. Correlation between positivity of lupus band test and lupus nephritis 71
Furukawa F, see Horiguchi Y, et al. 478
Furukawa F, see Takigawa M, et al. 392
Fusenig NE, see Watt FM, et al. 335

Gallo RC, see Lange Wantzin G, et al. 204
Gassenmaier A, Pfister H, Hornstein OP: Human papillomavirus 25-related DNA in solitary keratoacanthoma 73
Gatter KC, see Ralfkiaer E, et al. 285
Geisler C, see Baadsgaard O, et al. 374
Gerdes J, see Ralfkiaer E, et al. 285
Gillis E, see Broekaert D, et al. 100
Gillitzer R, see Knapp A, et al. S55
Gioanni J, Ettore F, Mazeau C, Ortonne JP, Barety M, Lambert JC, Lalanne CM: In vitro study of the cell populations in two cases of Kaposi's sarcoma 26
Gissmann L, see Großendorf-Conen E-I, et al. S73
Golebiowska A, see Jablonska S, et al. S66
Greaves MW, see Dowd PM, et al. 427
Greiten H, Rister M, Steigleder GK: Myeloperoxidase of polymorphonuclear leukocytes in psoriasis vulgaris . S63
Griffiths CEM, see Unsworth DJ, et al. 232
Groß J, see Stolz W, et al. 167
Großendorf-Conen E-I, Meinhof W, de Villiers EM, Gissmann L: Occurrence of HPV genomes in penile smears of healthy men S73
Guyotat D, see Torinuki W, et al. 424

Hach P, see Borovanský J 54
Haffenden GP, see Unsworth DJ, et al. 232
Haftek M, see Staquet MJ, et al. 273
Hageman PhC, see Tsubura A, et al. 530
Håkansson L, see Lundin Å, et al. 385
Hakura, A, see Tanigaki T, et al. 66
Halprin KM, see Itami S, et al. 439
Hamanaka H, see Horio T, et al. 489
Hamashima T, see Furukawa F, et al. 71
Hanawalt PC, see Bohr VA, et al. 147
Haneke E, see Fartasch M, et al. 270
Happonen R-P, see Syrjänen SM, et al. 543
Hashimoto T, see Konohana I, et al. 459
Hauser C, see Kapp A, et al. 470
Haußer I, Fartasch M, Schleiermacher E, Anton-Lamprecht I: Disseminated cicatricial pemphigoid in a child and in an adult. Ultrastructural diagnostic criteria and differential diagnosis with special reference to acquired epidermolysis bullosa 357
Haustein U-F, see Herrmann K, et al. 299
Hein R, see Katsuoka K, et al. 418
Henseler T, see Christophers E S48
Herlin T, see Fogh K, et al. 504
Herrmann K, Schulze E, Haustein U-F, Böhme H-J, Ziegler V: Origin of the enhanced activity of lysosomal β-galactosidase in serum and skin in progressive systemic sclerosis 299
Hiepe F, see Volk H-D, et al. S92
Hilgers J, see Tsubura A, et al. 530
Hilkens J, see Tsubura A, et al. 530
Hjorth N, see Roed-Petersen J, et al. S108
Hobday CM, see Unsworth DJ, et al. 232
Hoffmann A, see Schopf RE, et al. 89
Hopsu-Havu VK, see Joronen IA 524

Horiguchi Y, Furukawa F, Ohshio G, Horio T, Imamura S: Effects of ultraviolet light irradiation on the skin of MRL/l mice . . . 478
Horio T, Okuwa T, Hamanaka H: Contact sensitization through Langerhans cell-deficient plantar skin . . . 489
Horio T, see Horiguchi Y, et al. . . . 478
Hornstein OP, see Gassenmaier A, et al. . . . 73
Hornstein OP, see Katsuoka K, et al. . . . 418
Hornstein OP, see Katsuoka K, et al. . . . 247
Hornstein OP, see Katsuoka K, et al. . . . 20
Hornstein OP, see Schwarz W, et al. . . . S59
Hornung J, see Watt FM, et al. . . . 335
Housset E, see Kazandjian S, et al. . . . 8
Hunneshagen C, see Berens v. Rautenfeld D, et al. . . . 327
Hunyadi J, see Csató M, et al. . . . 136
Hunziker T, Vassalli J-D: Plasmin induces acantholysis in skin organ cultures . . . 341
Husz S, see Szabó É, et al. . . . 315
Iizuka H, see Tsutsui M, et al. . . . 530

Ikeda S, see Muramatsu T, et al. . . . 143
Ikehara S, see Furukawa F, et al. . . . 71
Imamura S, see Furukawa F, et al. . . . 71
Imamura S, see Horiguchi Y, et al. . . . 478
Iryo K, Miyasato M, Kiyonaga H, Tanaka K, Tsuda S, Sasai Y: Bullous pemphigoid blister fluids influence the density distribution of eosinophils . . . 558
Itami S, Kino J, Halprin KM, Adachi K: Immunohistochemical study of β-adrenergic receptors in the psoriatic epidermis using an anti-alprenolol anti-idiotypic antibody . . . 439
Ito M: The innermost cell layer of the outer root sheath in anagen hair follicle: Light and electron microscopic study . . . 112
Ito S, see Miura S, et al. . . . 219
Ito T, Chiba S: Antagonistic effect of ketanserin on vasoconstrictor responses to serotonin in isolated canine skin artery . . . 211

Jablonska S, Obalek S, Favre M, Golebiowska A, Croissant O, Orth G: The morphology of butchers warts as related to papillomavirus types . . . S66
Jabłońska B, see Majewski S, et al. . . . 484
Jahn S, see Volk H-D, et al. . . . S92
Jahoda CAB, see Withers AP, et al. . . . 140
Jansen C, see Räsänen L, et al. . . . 215
Jensen JR, Kaltoft K, Bisballe S, Thestrup-Pedersen K: Natural and concanavalin A-induced cytotoxic activity towards continuously growing B lymphocytes derived from patients with cutaneous T-cell lymphoma . . . 12
Jimbow K, see Miura S, et al. . . . 219
Jinno Y, see Nakagawa S, et al. . . . S111
Johnsson A, Kjeldstad B, Melø TB: Fluorescence from pilosebaceous follicles . . . 190
Joronen IA, Hopsu-Havu VK: Separation and partial characterization of four cysteine proteinases from a human epidermal cell line . . . 524
Jung M, see Schopf RE, et al. . . . 89

Kaaman T, Braathen LR, Emtestam L: Standardization of dermatophyte antigens and the role of Langerhans cells in dermatophytosis . . . 498
Kähäri V-M, see Vuorio T, et al. . . . 154
Kallenberg CGM, see van Voorst Vader PC, et al. . . . 366
Kaltoft K, Bisballe S, Fogh Rasmussen H, Thestrup-Pedersen K, Thomsen K, Sterry W: A continuous T-cell line from a patient with Sézary syndrome . . . 293
Kaltoft K, see Jensen JR, et al. . . . 12
Kameyama K, Tone T, Eto H, Takezaki S, Kanzaki T, Nishiyama S: Recombinant gamma interferon induces HLA-DR expression on squamous cell carcinoma, trichilemmoma, adenocarcinoma cell lines, and cultured human keratinocytes . . . 161
Kanamori M, Shimizu M: The −SH and SS positive components in dermal connective tissues: a study by N-(7-dimethylamino-4-methyl-3-coumarinyl) maleimide (DACM) stain . . . 406
Kanda R, see Tanigaki T, et al. . . . 66
Kanitakis J, Mauduit G, Faure M, Thivolet J: The intraepidermal sweat-duct unit is derived from cells of the dermal sweat-duct: direct evidence obtained from epithelial allografts . . . 421
Kanzaki T, see Kameyama K, et al. . . . 161
Kanzaki T, see Tsutsui M, et al. . . . 530
Kapp A, Danner M, Luger TA, Hauser C, Schöpf E: Granulocyte-activating mediators (GRAM). II. Generation by human epidermal cells − relation to GM-CSF 470
Katsuoka K, Hein R, Krieg Th, Schell H, Hornstein OP: Trichilemmoid carcinoma-derived cells produce a growth factor for fibroblasts and reveal fibroblast chemotactic activity . . . 418
Katsuoka K, Schell H, Hornstein OP, Deinlein E, Wessel B: Comparative morphological and growth kinetics studies of human hair bulb papilla cells and root sheath fibroblasts in vitro . . . 20
Katsuoka K, Schell H, Wessel B, Hornstein OP: Effects of epidermal growth factor, fibroblast growth factor, minoxidil and hydrocortisone on growth kinetics in human hair bulb papilla cells and root sheath fibroblasts cultured in vitro . . . 247
Kaudewitz P, Soldner R, Burg G, Bieber T, Berger C, Edelson R, Rieber P, Braun-Falco O: Reactivity of monoclonal antibody BE 2 in different stages of mycosis fungoides and in benign dermal infiltrates . . . 83
Kaudewitz P, see Burg G, et al. . . . S88
Kaufmann I, see Tilgen W, et al. . . . S116
Kazandjian S, Bruneval P, Fiessinger J-N, Camilleri J-P, Housset E: Active proliferation of telangiectases in skin of patients with progressive systemic sclerosis (PSS) 8
Kiil J, see Fogh K, et al. . . . 504
Kino J, see Itami S, et al. . . . 439
Kirchner H, see Knapp A, et al. . . . S55
Kiss ZF, see Szabó É, et al. . . . 315
Kittler L, see Wollina U, et al. . . . 206
Kiyonaga H, see Iryo K, et al. . . . 558
Kjeldstad B, see Johnsson A, et al. . . . 190
Klanke J, see Berens v. Rautenfeld D, et al. . . . 327
Knapp A, Gillitzer R, Kirchner H, Schöpf E: Production of interferon and lymphoproliferative response in whole blood cultures derived from patients with atopic dermatitis . . . S55
Knapp M, see Mansbridge J . . . 465
Knopf B, see Wollina U, et al. . . . 206
Kobayashi M, see Shiohara T, et al. . . . 198
Kobza Black A, see Dowd PM, et al. . . . 427
Kohchiyama A, Oka D, Ueki H: Differing lectin-binding patterns of malignant melanoma and nevocellular and Spitz nevi . . . 226
Koizumi H, Aoyagi T, Ohkawara A: Phosphorylation of soluble pig epidermal proteins by endogenous calcium-activated, phospholipid-dependent protein kinase . . . 95
Koizumi H, Suya H, Nemoto O, Aoyagi T, Ohkawara: Effects of 12-o-tetradecanoylphorbol-13-acetate and

polyprenoic acid derivative on calcium-activated phospholipid-dependent protein kinase of pig skin 50
Koizumi H, Yamanaka K, Ohkawara A: Effect of hexadecane on protein kinase C of pig epidermis 402
Konohana A, Tajima S, Nishikawa T: Glycosaminoglycan synthesis by Pam cells (mouse epidermal cell line) 276
Konohana I, Hashimoto T, Dykes PJ, Marks R: Effects of all-trans retinoic acid on the morphology of human epidermal cells in vitro 459
Konrad K, see Wolff K, et al. S30
Kragballe K, see Fogh K, et al. 504
Krieg Th, see Katsuoka K, et al. 418
Krüger GRF, see Bonnekoh B, et al. 278
Kuehnl-Petzoldt C, Fischer S: Tumor thickness is not a prognostic factor in thin melanoma 487
Kumar V, Beutner EH, Chorzelski TP: Antiendomysial antibody – useful serological indicator of dermatitis herpetiformis 454
Kuramoto M, see Morita H, et al. 491

Lahti A, McDonald DM, Tammi R, Maibach HI: Pharmacological studies on nonimmunologic contact urticaria in guinea pigs 44
Lalanne CM, see Gioanni J, et al. 26
Lamberg MA, see Syrjänen SM, et al. 543
Lambert JC, see Gioanni J, et al. 26
Lange Wantzin G, Saxinger WC, Gallo RC: Sequential HTLV-III antibody studies in Danish homosexual men 204
Lapière CM, see Piérard GE, et al. S104
Lauerma AI, Visa K, Pekonen M, Förström L, Reitamo S: Cellular kinetics of delayed hypersensitivity test reactions to topical glucocorticosteroids 379
Ledolter A, see Plewig G, et al. S97
Lee C, see Picut C, et al. 516
Lee JB, see Lee S, et al. 120
Lee S, Choi B, Lee SH, Lee JB: Effect of isotretinoin on experimentally induced comedones 120
Lee SH, see Lee S, et al. 120
Lehto M, see Räsänen L, et al. 215
Leibl H, see Aberer W 321
Leinikki P, see Räsänen L, et al. 215
Lé L, see Piérard GE, et al. S104
Leonard JN, see Unsworth DJ, et al. 232
Lewis R, see Picut C, et al. 516
Lindholm L, Mobacken H, Magnusson B-L: Circulating immune complexes in untreated psoriasis. A comparison of Raji-cell radioimmunoassay and polymorphonuclear leukocyte phagocytosis 435
Lindskov R, see Baadsgaard O, et al. 374
Löning TH, Mackenzie IC: Immunohistochemical studies of basal cell carcinomas transplanted into nude mice 37
Lotte C, Rougier A, Wilson DR, Maibach HI: In vivo relationship between transepidermal water loss and percutaneous penetration of some organic compounds in man: effect of anatomic site 351
Lubach D, see Berens v. Rautenfeld D, et al. 327
Lubach D, see Drenk F, et al. 415
Luger TA, see Kapp A, et al. 470
Lundin Å, Håkansson L, Michaëlsson G, Venge P: Neutrophil locomotion and serum chemotactic and chemokinetic activities in pustulosis palmoplantaris compared with psoriasis 385

Machida Y, see Takahashi M, et al. 281
Machino H, Shiraishi S, Miki Y: Comparisons of in vivo and in vitro photosensitivities and DNA repair in fibroblast and keratinocyte cells 125
Mackenzie IC, see Löning TH 37
Mäkelä JK, see Vuorio T, et al. 154
Magnusson B-L, see Lindholm L, et al. 435
Mahrle G, see Bonnekoh B, et al. 278
Mahrle G, see Schulze H-J, et al. 499
Mahrle G, see Thiele B, et al. 521
Maibach HI, see Lahti A, et al. 44
Maibach HI, see Lotte C, et al. 351
Majewski S, Skiendzielewska A, Makiela B, Jabłońska B, Błaszczyk M: Serum levels of type III collagen aminopropeptide in patients with systemic scleroderma . . 484
Makiela B, see Majewski S, et al. 484
Maleville J, see Taïeb A, et al. 308
Mancianti ML, see Fimiani M, et al. 77
Mann Nielsen K, see Roed-Petersen J, et al. S108
Mansbridge J, Knapp M: Effects of filaggrin breakdown products on the growth and maturation of keratinocytes 465
Marghescu S, Anton-Lamprecht I, Melz-Rothfuss B: Disseminated bilateral hyperkeratotic variant of porokeratotis mibelli S38
Marks R, see Konohana I, et al. 459
Marks R, see Takahashi M, et al. 281
Mason DY, see Ralfkiaer E, et al. 285
Matzku S, see Tilgen W, et al. S116
Mauduit G, see Kanitakis J, et al. 421
Mauduit G, see Torinuki W, et al. 424
Mazeau C, see Gioanni J, et al. 26
McBride JF, see Bissett DL, et al. 184
McDonald DM, see Lahti A, et al. 44
Meffert H, see Böhm F, et al. 16
Meijer C, see Tsubura A, et al. 530
Meinhof W, see Großendorf-Conen E-I, et al. S73
Melø TB, see Johnsson A, et al. 190
Melz-Rothfuss B, see Marghescu S, et al. S38
Menné T, see Roed-Petersen J, et al. S108
Merk HF, see Thiele B, et al. 521
Meunier J, see Picut C, et al. 516
Michaëlsson G, see Lundin Å, et al. 385
Middleton MC, see Buckley A 257
Miki Y, see Machino H, et al. 125
Milbradt H, see Fuchs J, et al. 59
Mitsuhashi Y, see Brüngger A, et al. S24
Miura S, Ueda T, Jimbow K, Ito S, Fujita K: Synthesis of cysteinylphenol, cysteaminylphenol, and related compounds, and in vivo evaluation of antimelanoma effect 219
Miyasato M, see Iryo K, et al. 558
Mobacken H, see Lindholm L, et al. 435
Möller H, see Wallengren J, et al. 512
Mooi W, see Tsubura A, et al. 530
Moretti S, see Bani D 561
Morii S, see Tsubura A, et al. 530
Morita H, Kuramoto M, Oishi M, Yu M, Yamagata M, Sagami S: L3T4-Positive cells in the lymph nodes during induction phase of contact hypersensitivity reaction of mice: flow cytometric analysis 491
Morsches B, see Schopf RE, et al. 444
Morsches B, see Schopf RE, et al. 89
Munch-Petersen B, see Frentz G, et al. 180
Muramatsu T, Sakamoto K, Ikeda S, Ogawa H: Distinguishing the antigen specificities of pemphigus vulgaris and pemphigus foliaceus using the biotin-avidin immunofluorescence method 143

Nagashima M, see Shiohara T, et al. 198
Nakagawa S, Takei Y, Bang D, Jinno Y, Ueki H: Histological study on the fate of haptenated epidermal cells injected intradermally in guinea pigs S111
Nakagawa S, Takei Y, Bang D, Ueki H: Delayed-type skin reaction to 2,4-dinitrophenylated epidermal cells in guinea pigs with contact sensitivity to 2,4-dinitrochlorobenzene 236
Nakamura T, see Furukawa F, et al. 71
Narimatsu H, see Shiohara T, et al. 198
Nemoto O, see Koizumi H, et al. 50
Nieboer C, Beljaards R, van der Veen JPW: Rosette-formation in herpes simplex and herpes zoster lesions as demonstrated in Tzanck smears 283
Niebuhr E, see Frentz G, et al. 180
Nishikawa T, see Konohana A, et al. 276
Nishiyama S, see Kameyama K, et al. 161

Obalek S, see Jablonska S, et al. S66
Ogawa H, see Muramatsu T, et al. 143
Ogawa H, see Yamada H, et al. 194
Ohkawara A, see Koizumi H, et al. 50
Ohkawara A, see Koizumi H, et al. 402
Ohkawara A, see Koizumi H, et al. 95
Ohkawara A, see Tsutsui M, et al. 530
Ohshio G, see Furukawa F, et al. 71
Ohshio G, see Horiguchi Y, et al. 478
Oishi M, see Morita H, et al. 491
Oka D, see Kohchiyama A, et al. 226
Okuwa T, see Horio T, et al. 489
Oliver RF, see Withers AP, et al. 140
Opitz U, see Burg G, et al. S88
Orth G, see Jablonska S, et al. S66
Ortonne JP, see Gioanni J, et al. 26

Patrick LF, see Bissett DL, et al. 184
Pekonen M, see Lauerma AI, et al. 379
Petzold D, see Tilgen W, et al. S116
Pfister H, see Gassenmaier A, et al. 73
Picut C, Meunier J, Lee C, Lewis R: Expression of HLA-DR and OKT6 antigens on keratinocytes and dendritic cells in pemphigus 516
Piérard-Franchimont C, see Piérard GE, et al. S104
Piérard GE, Piérard-Franchimont C, Lé L, Lapière CM: Patterns of follicular sebum excretion rate during lifetime S104
Pigatto PD, Polenghi MM, Altomare GF, Tadini GL, Villa S: Arachidonic acid and LTB4 enhance aggregation of psoriatic peripheral blood mononuclear leukocytes in vitro 347
Plewig G, Steiner R, Ledolter A: Electrophoretic mobility of corneocytes measured by laser. Doppler spectroscopy S97
Plewig G, see Christophers E S2
Plewig G, see Ryckmanns F, et al. 173
Polenghi MM, see Pigatto PD, et al. 347
Ponec M, Williams ML: Cholesterol sulfate uptake and outflux in cultured human keratinocytes 32
Powles AV, see Unsworth DJ, et al. 232
Privat Y, see Chamson A, et al. 303

Rabaud M, see Taïeb A, et al. 308
Räsänen L, Lehto M, Reunala T, Jansen C, Leinikki P: Decreased monocyte production of interleukin-1 and impaired lymphocyte proliferation in atopic dermatitis 215
Ralfkiaer E, Bosq J, Gatter KC, Schwarting R, Gerdes J, Stein H, Mason DY: Expression of a Hodgkin and Reed-Sternberg cell associated antigen (Ki-1) in cutaneous lymphoid infiltrates 285
Rappersberger K, see Wolff K, et al. S30
Rehder M, see Schopf RE, et al. 444
Reitamo S, see Lauerma AI, et al. 379
Reunala T, see Räsänen L, et al. 215
Reyniers P, see Broekaert D, et al. 100
Rieber P, see Kaudewitz P, et al. 83
Ring J, see von der Helm D, et al. 536
Rister M, see Greiten H, et al. S63
Rivenson A, see Tanaka T 130
Roberts GP: Glycoconjugate biosynthesis in human epidermis 251
Roed-Petersen J, Menné T, Mann Nielsen K, Hjorth N: Is it possible to work with pao ferro *(Machaerium scleroxylum)* S108
Rougier A, see Lotte C, et al. 351
Rütten A, see Schulze H-J, et al. 499
Ryckmanns F, Schmoeckel C, Plewig G, Braun-Falco O: Early persistent UVA-pigmentation: Ultrastructural and morphometric analysis 173
Ryckmanns F, see Stolz W, et al. 167
Ryder ML, see Withers AP, et al. 140

Sagami S, see Morita H, et al. 491
Sakamoto K, see Muramatsu T, et al. 143
Sasai Y, see Iryo K, et al. 558
Sasaki M, see Tsubura A, et al. 530
Saxinger WC, see Lange Wantzin G, et al. 204
Schaarschmidt H, see Wollina U, et al. 206
Schell H, see Katsuoka K, et al. 20
Schell H, see Katsuoka K, et al. 247
Schell H, see see Katsuoka K, et al. 418
Scheres JMJC, see van Voorst Vader PC, et al. 366
Schleiermacher E, see Haußer I, et al. 357
Schmitt D, see Tinois E, et al. 241
Schmoeckel C, see Ryckmanns F, et al. 173
Schmoeckel C, see Stolz W, et al. 167
Schneider BV, see Brüngger A, et al. S24
Schnyder UW, see Brüngger A, et al. S24
Schöpf E, see Kapp A, et al. 470
Schöpf E, see Knapp A, et al. S55
Scholten A, see Westerhof W, et al. 209
Schonk D, see Tank B, et al. 68
Schopf RE, Hoffmann A, Jung M, Morsches B, Bork K: Stimulation of T cells by autologous mononuclear leukocytes and epidermal cells in psoriasis 89
Schopf RE, Rehder M, Benes P, Bork K, Morsches B: Impaired function of numerically augmented Fc-receptors on granulocytes in a HLA B8+ patient with palmoplantar pustulosis 444
Schulze E, see Herrmann K, et al. 299
Schulze H-J, Rütten A, Mahrle G, Steigleder GK: Initial lesions of HIV-related Kaposi's sarcoma – a histological, immunohistochemical, and ultrastructural study 499
Schwabe C, see Drenk F, et al. 415
Schwarting R, see Ralfkiaer E, et al. 285
Schwarz W, Bock G, Hornstein OP: Plasma levels of cyclic nucleotides are elevated in atopic eczema S59
Shimizu M, see Kanamori M 406
Shiohara T, Kobayashi M, Narimatsu H, Nagashima M: Effect of orally administered aromatic retinoid on murine Langerhans cells 198
Shiraishi S, see Machino H, et al. 125
Siddiqui AH, see Westerhof W, et al. 209
Skiendzielewska A, see Majewski S, et al. 484
Sönnichsen N, see Volk H-D, et al. S92

Soldner R, see Kaudewitz P, et al. 83
Staquet MJ, Haftek M, Cordier G, Thivolet J: Keratin filament composition of human epidermal spinous and granular cell fractions selected by flow cytometric sorting 273
Steigleder GK, see Greiten H, et al. S63
Steigleder GK, see Schulze H-J, et al. 499
Steigleder GK, see Thiele B, et al. 521
Steiner A, see Wolff K, et al. S30
Steiner R, see Plewig G, et al. S97
Stein H, see Ralfkiaer E, et al. 285
Sterry W, see Kaltoft K, et al. 293
Stewart ME, see Collison DW, et al. 266
Stolz E, see Tank B, et al. 68
Stolz W, Schmoeckel C, Ryckmanns F, Groß J, Braun-Falco O: Morphometric and ultrastructural analyses of melanocytes, nevus cells, and melanoma cells 167
Strauss JS, see Collison DW, et al. 266
Stünkel KG, see Burg G, et al. S88
Surlève-Bazeille J-E, see Taïeb A, et al. 308
Suya H, see Koizumi H, et al. 50
Syrjänen KJ, see Syrjänen SM, et al. 543
Syrjänen SM, Syrjänen KJ, Happonen R-P, Lamberg MA: In situ DNA hybridization analysis of human papillomavirus (HPV) sequences in benign oral mucosal lesions 543
Szabó É, Husz S, Várkonyi T, Kiss ZF: Dermatitis herpetiformis: relation between circulating immune complexes, small-intestinal mucosal status, and immunohistopathological findings 315

Tadini GL, see Pigatto PD, et al. 347
Taïeb A, Aumailley M, Courouge-Dorcier D, Rabaud M, Bioulac-Sage P, Surlève-Bazeille J-E, Maleville J: Collagen studies in congenital cutis laxa 308
Tagami H, see Takematsu H, et al. 449
Tajima S, see Konohana A, et al. 276
Takahashi M, Machida Y, Marks R: A new apparatus to measure rate of desquamation using dansyl chloride fluorescence 281
Takamori K, see Yamada H, et al. 194
Takei Y, see Nakagawa S, et al. 236
Takei Y, see Nakagawa S, et al. S111
Takematsu H, Terui T, Torinuki W, Tagami H: Leukocyte chemotactic properties of soluble horny contents in epidermal cysts 449
Takezaki S, see Kameyama K, et al. 161
Takigawa M, Danno K, Furukawa F: Effects of colchicine and cytochalasin B on distribution of concanavalin A receptors in isolated and cultured guinea pig epidermal cells 392
Tammi R, see Lahti A, et al. 44
Tanaka H, see Furukawa F, et al. 71
Tanaka K, see Iryo K, et al. 558
Tanaka T, Rivenson A: Mastocytoma induced by cigarette smoke particulates: "Cigarette tar" 130
Tanigaki T, Kanda R, Yutsudo M, Hakura, A: Human papillomavirus DNA detected in squamous-cell carcinoma tissue of a patient with epidermodysplasia verruciformis 66
Tank B, van Dijk G, van der Sluis J, van der Kamp AWM, Schonk D, Stolz E, Versnel M, van Joost T: Detection of basal-cell determinant(s) in human psoriatic skin: a monoclonal antibody study 68
Ternowitz Th, see Fogh K, et al. 504
Terui T, see Takematsu H, et al. 449
Thestrup-Pedersen K, see Jensen JR, et al. 12
Thestrup-Pedersen K, see Kaltoft K, et al. 293
Thiele B, Merk HF, Bonnekoh B, Mahrle G, Steigleder GK: Epidermal cell growth-dependent arylhydrocarbon-hydroxylase (AHH) activity in vitro 521
Thiele B, see Bonnekoh B, et al. 278
Thivolet J, see Kanitakis J, et al. 421
Thivolet J, see Staquet MJ, et al. 273
Thivolet J, see Torinuki W, et al. 424
Thomsen K, see Kaltoft K, et al. 293
Thorbecke GJ, see Belsito DV, et al. S76
Tilgen W, Matzku S, Kaufmann I, Engstner M, Petzold D: Modulation of melanoma-associated antigenes by monoclonal antibodies as visualized by radioimmunoelectron microscopy and radioantibody binding assay S116
Tinois E, Faure M, Chatelain P, Vallier P, Schmitt D: Growth and differentiation of human keratinocytes on extracellular matrix 241
Tone T, see Kameyama K, et al. 161
Torinuki W, Mauduit G, Guyotat D, Archimbaud E, Fiere D, Thivolet J: Effect of UVB radiation on the skin after allogeneic bone-marrow transplantation in man 424
Torinuki W, see Takematsu H, et al. 449
Tsubura A, Morii S, Ueda S, Sasaki M, Zotter St, Watzig V, Mooi W, Hageman PhC, Hilkens J, Van den Tweel J, Meijer C, Hilgers J: Immunohistochemical demonstration of MAM-3 and MAM-6 antigens in normal human skin appendages and their tumors 530
Tsuda S, see Iryo K, et al. 558
Tsutsui M, Iizuka H, Ohkawara A, Adachi K, Kanzaki T: Adenylate cyclase system of human trichilemmoma cell line 530

Ueda S, see Tsubura A, et al. 530
Ueda T, see Miura S, et al. 219
Ueki H, see Kohchiyama A, et al. 226
Ueki H, see Nakagawa S, et al. 236
Ueki H, see Nakagawa S, et al. S111
Unsworth DJ, Leonard JN, Hobday CM, Griffiths CEM, Powles AV, Haffenden GP, Fry L: Gliadins bind to reticulin in a lectin-like manner 232

Vallier P, see Tinois E, et al. 241
v. Baehr E, see Volk H-D, et al. S92
van de Kerkhof PCM, see van Erp PEJ 151
Van den Tweel J, see Tsubura A, et al. 530
van der Kamp AWM, see Tank B, et al. 68
van der Sluis J, see Tank B, et al. 68
van der Veen JPW, see Nieboer C, et al. 283
van Dijk G, see Tank B, et al. 68
van Erp PEJ, van de Kerkhof PCM: Calmodulin levels in psoriasis and other skin disorders 151
van Joost T, see Tank B, et al. 68
van Kesteren RG, see Baart de la Faille H, et al. . . . 3
van Weelden H, see Baart de la Faille H, et al. . . . 3
Van Oostveldt P, see Broekaert D, et al. 100
Várkonyi T, see Szabó É, et al. 315
Vassalli J-D, see Hunziker T 341
Venge P, see Lundin Å, et al. 385
Vermey A, see van Voorst Vader PC, et al. 366
Versnel M, see Tank B, et al. 68
Villa S, see Pigatto PD, et al. 347
Visa K, see Lauerma AI, et al. 379
Volk H-D, Sönnichsen N, Jahn S, Hiepe F, Apostoloff E, v. Baehr E, Diezel W: The influence of interferon-gamma, interleukin-2, prostaglandin E2, and cyclosporine on the polyclonal and anti-DNA antibody secretion

in lymphocyte cultures derived from patients with systemic lupus erythematosus S92
von der Helm D, Ring J, Dorsch W: Comparison of histamine release and prostaglandin E2 production of human basophils in atopic and normal individuals . . 536
van Voorst Vader PC, de Jong MCJM, Blanken R, Kallenberg CGM, Vermey A, Scheres JMJC: Epidermodysplasia verruciformis: Langerhans cells, immunologic effect of retinoid treatment and cytogenetics 366
Vuorio E, see Vuorio T, et al. 154
Vuorio T, Mäkelä JK, Kähäri V-M, Vuorio E: Coordinated regulation of type I and type III collagen production and mRNA levels of pro α1(I) and pro α2(I) collagen in cultured morphea fibroblasts 154

Wallengren J, Möller H, Ekman R: Occurrence of substance P, vasoactive intestinal peptide, and calcitonin gene-related peptide in dermographism and cold urticaria 512
Watt FM, Boukamp P, Hornung J, Fusenig NE: Effect of growth environment on spatial expression of involucrin by human epidermal keratinocytes 335
Watzig V, see Tsubura A, et al. 530
Wendt V, see Wolff HH, et al. S52
Wenzel-Hora B, see Berens v. Rautenfeld D, et al. . . . 327
Wessel B, see Katsuoka K, et al. 20
Wessel B, see Katsuoka K, et al. 247
Westerhof W, Siddiqui AH, Cormane RH, Scholten A: Infrared hyperthermia and psoriasis 209
Williams ML, see Ponec M 32
Wilson DR, see Lotte C, et al. 351
Winkelmann RK, Dabski K: Large cell lymphocytoma-follow-up, immunopathology studies, and comparison to cutaneous follicular and Crosti lymphoma S81
Winzer E, see Wolff HH, et al. S52
Withers AP, Jahoda CAB, Ryder ML, Oliver RF: Culture of wool follicle dermal papilla cells from two breeds of sheep 140
Wölbling RH, see Fuchs J, et al. 59
Wolff HH, Wendt V, Winzer E: Cutaneous pseudolymphoma at the site of prior herpes zoster eruption . . S52
Wolff K, Rappersberger K, Steiner A, Konrad K: Vegetating cicatricial pemphigoid: a new subset of the cicatricial pemphigoid spectrum S30
Wollina U, Beensen H, Kittler L, Schaarschmidt H, Knopf B: PUVA treatment of human cultured fibroblasts from psoriatic skin enhances the binding of antibodies to SSA(Ro) 206
Woollard PW, see Dowd PM, et al. 427
Wulf HChr, see Frentz G, et al. 180

Yamada H, Takamori K, Ogawa H: Localization and some properties of skin sulfhydryl oxidase 194
Yamagata M, see Morita H, et al. 491
Yamanaka K, see Koizumi H, et al. 402
Yu M, see Morita H, et al. 491
Yutsudo M, see Tanigaki T, et al. 66

Ziegler V, see Herrmann K, et al. 299
Zimmer G, see Fuchs J, et al. 59
Zlotogorski A: Distribution of skin surface pH on the forehead and cheek of adults 398
Zotter St, see Tsubura A, et al. 530